FLOUNDER TAGS
RECORDED
ON 2489

2488

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. (9-14)	DAY	YEAR	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2488	032	05	13	74	23AL	3449	7619

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0006	22	—	25	006	N	E	10

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	PC	SA	E	FT	070	—	15	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00350	—	—	00005

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H6	3L1			PO	DO
START	34° 49'	76° 19'	1567	4855	6		1448	1450
							PU	ON
FINISH	34° 51'	76° 17'	1546	4855	5		1520	1524

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
100	1200 2/5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

OBSERVATIONS

P. dentatus — Few

Negative Anadromous

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore248800unse

R/V DAN MOORE SPECIES LIST

STA. NO. 2488 DATE May 13 19 74 BIOLOGISTS BFH, ABP

TOT.CATCH WT. 350 Finfish: 350 Crust.: - Moll.: - Other 10

AIR 25 °C SURFACE 21.5 °C

SPECIES	CODE	NUMBER	WEIGHT	DATA TAKEN	REMARKS
Cynoscion regalis			75		
Leiostomus xanthurus			15		
Orthopristis chrysopterus			50		
Paralichthys dentatus			15	✓	
Peprilos triacanthus			5		
Raja eglanteria			10		
Synodus foetans			5		
Larimus fasciatus			5		
Stenotomus caprinus			5		
Archosargus probatocephalus			20		
* Dasyatis sp.			100		
Myliobatis freminvellei			2		
Rhinoptera bonasus			20		
Mustelis canis			25		
Ancylopsetta quadrocellata			<1		
Pomatomous saltatrix			<1		

Length-frequency distribution

Species: *P. dentatus*

Station: 2488, 2489

Date: 13 MAY 1974

Locality: B

T.L.	Unsexed	
100 - 109.9		
110 -		
120 -		
130 -		
140 -		
150 -		
160 -		
170 -		
180 -	I	(1)
190 -	I	(1)
200 -	I	(1)
210 -	II	(2)
220 -	II	(2)
230 -	IIII	(4)
240 -	++++	(5)
250 -	II	(2)
260 -	I	(1)
270 -	II	(2)
280 -	II	(2)
290 -		
300 -	I	(1)
310 -		
320 -	II	(2)
330 -	III	(3)
340 -	I	(1)
350 -		
360 -		
370 -		
380 -	I	(1)
390 -		
400 -		
410 -		31
420 -		
430 -		
440 -		
450 -		
460 -		
470 -		
480 -		
490 -		
500 -		
510 -		
520 -		
530 -		
540 -		
550 -		
560 -		
570 -		
580 -		
590 -		

T.L.	
600 -	
610 -	
620 -	
630 -	
640 -	
650 -	
660 -	
670 -	
680 -	
690 -	
700 -	
710 -	
720 -	
730 -	
740 -	
750 -	

24488